logitech®



LOGITECH RALLY BAR MINI

Simplicity meets versatility with Rally Bar Mini, Logitech's most advanced all-in-one video bar for small meeting rooms and huddle spaces. With studio-quality audio and video, Aldriven performance, and flexible deployment options, Rally Bar Mini sets a new standard for small room collaboration.

PREMIER VIDEO BAR FOR SMALL TO MEDIUM MEETING ROOMS

Rally Bar Mini is Logitech's premier all-in-one video bar for small rooms and huddle spaces.

It's remarkably simple to use, manage, and deploy at scale, delivering the capabilities of larger video bars like Logitech Rally Bar in a compact form factor for smaller spaces. With studio-quality audio and video, motorized pan and tilt, and Al-powered performance, Rally Bar Mini sets new standards for video collaboration.

Scalable across hundreds or thousands of rooms, Rally Bar Mini offers clutter-free cable management, multiple mounting options, and flexible deployment modes. Plug and play with virtually any PC or Mac, or run supported video conferencing applications on the device without a computer.



SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac[®], with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options



SIMPLE TO USE

RightSense Technologies

RightSight

Speaker View frames the active speaker while displaying a secondary view of the room to show participant interactions. Group View detects meeting participants automatically adjusts the lens and zoom so no one is left out of the picture.

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

Al-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services



SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience



AUDIO

Room-filling Sound

Ultra low distortion speakers with RightSound $^{\text{IM}}$ convey every word with outstanding clarity

Adaptive Beamforming Mic Array

Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise

Expansion Ready

Add up to two Rally mic pods for even greater coverage in larger settings

Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K

VIDEO

Expansive Room Coverage

Mechanical pan and tilt covers rooms 163° across by 110° high, with exceptional image quality

Cinema Quality

Ultra-HD Video

Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions

Framed to Perfection

A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight™ autoframing

AI VIEWFINDER

See Everyone Clearly

All meeting participants, even late arrivals, are automatically seen and included

Move About Freely

Al Viewfinder uses scene awareness to keep the camera on the action

ACCESSORIES



TV Mount for Video Bars

Securely mount Rally Bar Mini above or below a TV or monitor



Rally Mic Pod Extension Cable

Easily connect mic pods to Rally Bar with up to two 10m extension cables



Wall Mount for Video Bars

Neatly and confidently secure Rally Bar on the wall for minimal footprint



Rally Mic Pod Mount in **Graphite and White**

Hide cables and anchor mics on the table or ceiling for a clean, finished



Rally Mic Pod in Graphite

Expand audio coverage and provide convenient access to mute controls



Logitech Tap Controller

Deploy with Tap for easy onetouch to join



Rally Mic Pod in White

Expand audio coverage and provide convenient access to mute controls



Rally Mic Pod Hub

Customize microphone placement for your conference table configuration

TECH SPECS

CERTIFICATIONS & COMPATIBILITY	GENERAL	CAMERA
Certifications: Microsoft Teams Rooms on Android (for small rooms), Microsoft Teams Rooms on Windows (for small rooms), Zoom Rooms, Tencent Meeting Rooms and Lark Rooms on Windows. Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required): Microsoft Teams Rooms on Android, Zoom Rooms, RingCentral Rooms, and Tencent Meeting Rooms. USB Mode: Plug-and-play USB connectivity with virtually any video conferencing application. For the latest information on certifications and compatibility, visit www.logitech.com/support/vc-certifications.	Built-in Components: 6 beamforming microphones, PTZ camera, 3 speakers, Al Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference Device Management: Logitech Sync Displays Supported: 2 Display Resolution: Up to 1080p	Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps Pan: Motorized ±25° Tilt: Motorized ±15° Zoom: 4X HD digital zoom Diagonal Field of View: 120° Horizontal Field of View: 113° Vertical Field of View: 80.7° Total Room Coverage (field of view + pan and tilt): 163° horizontal x 110° vertical











DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
Height: 91.4 mm/3.6 in Width: 719 mm/2.36 ft Depth: 101 mm/3.98 in Lens Depth: 18.5 mm/0.73 in Weight: 4.03 kgs/8.88 lbs	Woofer: 70mm/2.7in Mid-range: 2x/1.5in Output: 90dB SPL @1W, 99dB SPL @8.0W, both +/-2dB at ½ meter Sensitivity: 86+/-2dB SPL at 1W, ½ meter THD: 1kHz < 2% Speaker Sampling Rate: 48 kHz	RightLight: Renders natural skin tones for each participant. RightSight: Primary PTZ camera zooms in on the active speaker while the Al Viewfinder captures a view of everyone in the room. RightSound: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.



МІС	CROPHONES		INTERFACES		POWER & CABLES
Pickup Range: 23 ft Beamforming Elem digital MEMS micro acoustic broadside Audio Processing: A Cancellation), VAD Noise Suppression:	CS +/-1dB @ 1Pa Rate Output: 48 kHz 1: (7 m) Rents: Six omnidirectional Rephones forming five adaptive Beams REC (Acoustic Echo (Voice Activity Detector)	HDMI In: 1 USB 3.0: 3x Network: 10 WiFi: 802.11 External Mid optional Ra Rally Mic Po	ut: 2 (up to 1080p) 1 3x Type A, 1x Type C : 10/100/1G Ethernet 2.11a/b/g/n/ac (MIMO) Mic Input: Yes (proprietary input supports Rally Mic Pod, Rally Mic Pod Hub, and Pod Extension Cable) Control: Bluetooth® Low Energy		Power Supply: Auto-sensing Operating Voltage/Power: 100-240V, 19V, 4.74A Power Supply Dimensions: 127mm x 51mm x 30mm DC Cable: 1.5m/4.9 ft AC Cable: 1m/3.28 ft HDMI 1.4 Cable: 2m/6.5 ft USB A to USB C 3.0 Cable: 2.2m/7.2 ft
ENVIRONMENTAL			SECURITY		WARRANTY
Operating Tempero Storage Temperatu Humidity: 10 to 959 BTU/hr: 57 idle, 64	re: -40 to 70 °C %	Data Encryp Device Iden Device Acce	cryption: AES-128 otion: Symmetric Keys, PKI tity: Protected by device attest ess: Authenticated using API ion: Arm TrustZone, RPMP	tation	Standard: 2-year limited hardware warranty included Extended: Additional one-year and three-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.
PACKAGE CONTENTS		PRODUCT SPECS			
Rally Bar Mini Power supply AC power cord HDMI cable USB cable Remote control Lens caps for main lens and AI Viewfinder User documentation		Rally Bar Mini - Graphite Part #: 960-001339	_ ′	Rally Bar Mini - White Part #: 960-001351	

logitech[®]

www.logitech.com/RallyBarMini

Contact your reseller or contact us at www.logitech.com/vcsales

Logitech Americas

7700 Gateway Blvd. Newark, CA 94560 USA

Logitech Europe S.A. EPFL - Quartier de l'Innovation Daniel Borel Innovation Center CH - 1015 Lausanne

Tel: 852-2821-5900 Fax: 852-2520-2230

Logitech Asia Pacific Ltd.

© 2022 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published November 2022

logitech



DATA SHEET LOGITECH TAP

Deliver one-touch join, calendar integration, instant content sharing, and a consistent experience across meeting rooms. With a sleek design, silent operation, and motion sensor for always-on readiness, Tap brings ease and convenience to video collaboration.

MEETING ROOM TOUCH CONTROLLER FOR VIDEO CONFERENCING ROOM SOLUTIONS

More than just a meeting room touch controller, Logitech Tap is what helps you achieve a consistent user experience across your entire deployment.

Boasting a spacious 10.1" touchscreen, low-profile enclosure, and multiple mounting accessories, Logitech Tap delivers a sleek appearance and convenient placement options that support a wide range of room sizes and layouts. And, with its HDMI input, content sharing is instant and effortless. Wireless content sharing is also available depending on your chosen video conferencing service.



- One-touch join: Easily start and join meetings with just one tap.
- 2 **10.1" touch display:** Spacious and responsive touch screen resists fingerprints and glare for high legibility and easy operation.
- 3 **Sleek, low profile:** Comfortable 14° angle allows for easy viewing, while providing an unobtrusive presence in the room.
- Always-on readiness: Built-in motion sensor saves power when idle, and powers on when a person approaches.
- Headphone jack: Extends the host computer's wired audio capabilities to the tabletop, ideal for private conversations and for the hearing-impaired.

- **Dual cable exits:** A sturdy metal cover with removable bottom and rear exits keep cables tidy and secure.
- 7 Clean cable management: Built-in cable retention and strain relief system hides the cable entirely within its enclosure, and secures it to prevent unwanted disconnections.
- **USB accessory port:** Connect an accessory such as a USB speakerphone.
- 9 **HDMI input for content sharing:** Provides instant wired content sharing when used with Google Meet™, Microsoft Teams Rooms™, and Zoom Rooms™.
- Anti-theft protection: Keep Tap securely in place by connecting a security cable to one of Tap's two Kensington lock slots, one on the bottom and another at the back.

ENTERPRISE READY



Clean Installation

Flexible cabling lets you locate Tap near participants for convenient operation while installing the host computer in a cabinet, beneath a table, or behind a display.



Multiple Mounting Options

Secure Tap flat to the table, raise the viewing angle, or mount it on the wall to conserve space, minimize cabling, and optimize the user experience.

ROOM SOLUTIONS WITH LOGITECH TAP

Easily deploy video meetings with pre-configured Logitech room solutions for Google Meet $^{\text{TM}}$ and Microsoft Teams $^{\text{TM}}$, which include everything you need - Tap, a conference camera or video bar, and PC compute - to start building meeting rooms of virtually any shape or size.











Find Your Perfect Match

Tap works seamlessly with Logitech's lineup of PC-based video bars and modular systems for small, medium, and large rooms.



Laptop Link for Meeting Rooms

Add bring-your-own-device versatility with Logitech Swytch, a convenient way to use the room's display and conference camera with any video meeting or webinar application.

SPECIFICATIONS LOGITECH TAP



Shown with Logitech Rally Bar.

PRODUCT DIMENSIONS	PORTS & IN	NTERFACES	PACKAGE CONTENTS	
Device Total Height x Width x Depth: 58 x 244 x 179 mm 2.3 x 9.6 x 7.0 in 1.25 kg (2.75 lbs) Touchscreen 10.1" diagonal screen Display Angle: 14° Resolution: 1280 x 800 Anti-fingerprint and anti-glare oleophobic coating	USB 2.0/3.0/3.1 Type C USB 2.0 Type A (for accomposition of the content of the co	essory connection) t sharing) adset Jack eaker ensor FDMI (Flat Display	Logitech Tap with Cat5e Kit Tap Touch Controller Cat5e Kit Logitech Tap Receiver Dongle Transceiver 100-240v Power Supply with International Adaptor Set 2.97 m Cat5e Cable 7.0 m Cat5e Cable HDMI 1.4a cable 2.0 m Microfiber Cloth Documentation	
SYSTEM REQUIREMENTS	COMPATIBILITY AN	ID CERTIFICATIONS	OPTIONAL ACCESSORIES	
Windows® 10 Chrome™ OS 80 and higher Logi CollabOS USB 2.0, 3.0, or 3.1 Type A port	Logitech Tap is certified for video conferencing r Google Meet GoToRoom Microsoft Teams Roon Pexip Room	oom solutions:	Table Mount Riser Mount Wall Mount Cat5e Kit (for Tap devices currently connected with Strong USB) Logitech Strong USB cable:10 m, 25 m, 45 m (for Tap devices currently connected with Strong USB)	
DEVICE MANAGEMENT	RingCentral Rooms Zoom Rooms			
Monitor and manage with Logitech Sync remote management, Microsoft Teams Admin Center, and Zoom Device Management platforms.	See www.logitech.com/ compatibility for pendin certifications and comp DisplayLink Plug and Dis via USB as an additiona operating systems, inclu Chrome OS	g and granted atibility updates. splay™: Tap connects I display for supported		
WARRANTY		PART NUMBERS		
Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.		Logitech Tap with Cat5e Kit: 939-001950		

logitech[®]

www.logitech.com/Tap

Contact your reseller or contact us at www.logitech.com/vcsales

Logitech Americas

7700 Gateway Blvd. Newark, CA 94560 USA

Logitech Europe S.A. EPFL - Quartier de l'Innovation Daniel Borel Innovation Center CH - 1015 Lausanne

Logitech Asia Pacific Ltd.

Tel: 852-2821-5900 Fax: 852-2520-2230

 $\hbox{@}$ 2021 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published September 2021