



DATA SHEET

LOGITECH RALLY BAR


Rally Bar delivers a powerful all-in-one video conferencing experience, featuring brilliant optics, automated PTZ, and high performance audio for midsize meeting rooms. With Rally Bar, video meetings can be just as natural and productive as face-to-face collaboration.

ALL-IN-ONE VIDEO BAR FOR MEDIUM TO LARGE ROOMS

Logitech Rally Bar sets a new standard for video meetings in midsize rooms, with expansion options for larger groups and settings.

It's remarkably simple to use, manage, and deploy at scale, delivering cinema-quality video and audio in a sleek, all-in-one form factor. Plug and play Rally Bar with any PC or Mac, or leverage the built-in compute to run video conferencing applications directly on the device.

Rally Bar features a multi-element lens assembly, powerful low distortion speakers, and an advanced mic system to create meeting experiences that sound as good as they look. A dedicated AI camera amplifies RightSight auto-framing and delivers insights about room usage directly to the Logitech Sync dashboard. Upgrade your video collaboration with Rally Bar.



SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac®, with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options

SIMPLE TO USE

RightSense Technologies

RightSight

Speaker View frames the active speaker while displaying a secondary view of the room to show participant interactions. Group View detects meeting participants automatically adjusts the lens and zoom so no one is left out of the picture.

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

AI-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale


Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience



AUDIO	VIDEO	AI VIEWFINDER
Room-filling Sound Large, ultra low distortion speakers with RightSound convey every word with outstanding clarity	Ultra-HD Video Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K	Framed to Perfection A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight autoframing
Adaptive Beamforming Mic Array Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise	Expansive Room Coverage Motorized lens covers rooms 130° across by 80° high, with lossless image quality up to 5X optical zoom	See Everyone Clearly All meeting participants, even late arrivals, are automatically seen and included
Expansion Ready Add up to four Rally mic pods for even greater coverage in larger settings	Cinema Quality Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions	Move About Freely AI Viewfinder uses scene awareness to keep the camera on the action

ACCESSORIES

**TV Mount for Video Bars**

Securely mount Rally Bar above or below a TV or monitor

**Wall Mount for Video Bars**

Neatly and confidently secure Rally Bar on the wall for minimal footprint

**Rally Mic Pod in Graphite**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod in White**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod Extension Cable**

Easily connect mic pods to Rally Bar with up to two 10m extension cables

**Rally Mic Pod Mount in Graphite and White**

Hide cables and anchor mics on the table or ceiling for a clean, finished look


**Logitech Tap Controller**

Deploy with Tap for easy one-touch to join

**Rally Mic Pod Hub**

Customize microphone placement for your conference table configuration

TECH SPECS

CERTIFICATIONS & COMPATIBILITY	GENERAL	CAMERA
<p>Certifications: Microsoft Teams Rooms on Android (for medium sized rooms), Microsoft Teams Rooms on Windows (for medium sized rooms), Zoom Rooms, Tencent Meeting Rooms and Lark (Feishu) Rooms on Windows.</p> <p>Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required): Microsoft Teams Rooms on Android, Zoom Rooms, RingCentral Rooms, Tencent Meeting Rooms.</p> <p>USB Mode: Plug and play USB connectivity with virtually any video conferencing application.</p> <p>For the latest information on certifications and compatibility, visit www.logitech.com/support/vc-certifications.</p>	<p>Built-in Components: 6 beamforming microphones, PTZ camera, 2 speakers, AI Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform</p> <p>Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference</p> <p>Device Management: Logitech Sync</p> <p>Displays Supported: 2</p> <p>Display Resolution: Up to 1080p</p> 	<p>Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps</p> <p>Pan: Motorized $\pm 25^\circ$</p> <p>Tilt: Motorized $\pm 15^\circ$</p> <p>Zoom: 15X HD zoom (5X optical, 3X digital available with upcoming software update)</p> <p>Diagonal Field of View: 90°</p> <p>Horizontal Field of View: 82.1°</p> <p>Vertical Field of View: 52.2°</p> <p>Total Room Coverage: 132.1° Horizontal x 82.2° Vertical</p>



DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
<p>Height: 164 mm/6.46 in</p> <p>Width: 910 mm/2.99 ft</p> <p>Depth: 130.5 mm/5.14 in</p> <p>Lens Depth: 28.8 mm/1.13 in</p> <p>Weight: 7.08 kg/15.6 lbs</p>	<p>Drivers: 2x 70mm/2.7 in</p> <p>Output: 90dB SPL @1W, 99dB SPL @8.0W, both ± 2dB at ½ meter</p> <p>Sensitivity: 90\pm3dB SPL at 1W, ½ meter</p> <p>THD: 1kHz < 2%</p> <p>Speaker Sampling Rate: 48 kHz</p>	<p>RightLight: Renders natural skin tones for each participant.</p> <p>RightSight: Primary PTZ camera zooms in on the active speaker while the AI Viewfinder captures a view of everyone in the room.</p> <p>RightSound: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.</p>



MICROPHONES		INTERFACES		POWER & CABLES	
Frequency Response: 90Hz –16kHz		HDMI Out: 2 (up to 1080p)		Power Supply: Auto-sensing	
Sensitivity: >-36dBFS +/-1dB @ 1Pa		HDMI In:1		Operating Voltage/Power: 100-240V, 19V, 4.74A	
Microphone Data Rate Output: 48 kHz		USB 3.0: 3x Type A, 1x Type C		Power Supply Dimensions: 127mm x 51mm x 30mm	
Pickup Range: 23 ft (7 m)		Network: 10/100/1G Ethernet		DC Cable: 1.5m/4.9 ft	
Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams		WiFi: 802.11a/b/g/n/ac (MIMO)		AC Cable: 1m/3.28 ft	
Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector)		External Mic Input: Yes (proprietary input supports optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable)		HDMI 1.4 Cable: 2m/6.5 ft	
Noise Suppression: AI filter		Remote Control: Bluetooth® Low Energy		USB A to USB C 3.0 Cable: 2.2m/7.2 ft	
Add-on Mics: Supports up to 4 additional Rally Mic Pods for larger conference rooms					
ENVIRONMENTAL		SECURITY		WARRANTY	
Operating Temperature: 0 to 40 °C		Full Disk Encryption: AES-128		Standard: 2-year limited hardware warranty included	
Storage Temperature: -40 to 70 °C		Data Encryption: Symmetric Keys, PKI		Extended: Additional one-year and three-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.	
Humidity: 10 to 95%		Device Identity: Protected by device attestation			
BTU/hr: 57 idle, 64 in meeting		Device Access: Authenticated using API			
		Key Protection: Arm TrustZone, RPMP			
PACKAGE CONTENTS			PRODUCT SPECS		
Rally Bar	USB cable	Rally Bar – Graphite Part #: 960-001308	Rally Bar – White	Rally Bar – TAA Compliant	
Power supply	Remote control		Part #: 960-001320	Part #: 960-001564	
AC power cord	Lens caps for main camera and AI Viewfinder				
HDMI cable	User documentation				




DATA SHEET **LOGITECH TAP**

Deliver one-touch join, calendar integration, instant content sharing, and a consistent experience across meeting rooms. With a sleek design, silent operation, and motion sensor for always-on readiness, Tap brings ease and convenience to video collaboration.

MEETING ROOM TOUCH CONTROLLER FOR VIDEO CONFERENCING ROOM SOLUTIONS

More than just a meeting room touch controller, Logitech Tap is what helps you achieve a consistent user experience across your entire deployment.

Boasting a spacious 10.1" touchscreen, low-profile enclosure, and multiple mounting accessories, Logitech Tap delivers a sleek appearance and convenient placement options that support a wide range of room sizes and layouts. And, with its HDMI input, content sharing is instant and effortless. Wireless content sharing is also available depending on your chosen video conferencing service.




- 1 One-touch join:** Easily start and join meetings with just one tap.
- 2 10.1" touch display:** Spacious and responsive touch screen resists fingerprints and glare for high legibility and easy operation.
- 3 Sleek, low profile:** Comfortable 14° angle allows for easy viewing, while providing an unobtrusive presence in the room.
- 4 Always-on readiness:** Built-in motion sensor saves power when idle, and powers on when a person approaches.
- 5 Headphone jack:** Extends the host computer's wired audio capabilities to the tabletop, ideal for private conversations and for the hearing-impaired.
- 6 Dual cable exits:** A sturdy metal cover with removable bottom and rear exits keep cables tidy and secure.
- 7 Clean cable management:** Built-in cable retention and strain relief system hides the cable entirely within its enclosure, and secures it to prevent unwanted disconnections.
- 8 USB accessory port:** Connect an accessory such as a USB speakerphone.
- 9 HDMI input for content sharing:** Provides instant wired content sharing when used with Google Meet™, Microsoft Teams Rooms™, and Zoom Rooms™.
- 10 Anti-theft protection:** Keep Tap securely in place by connecting a security cable to one of Tap's two Kensington lock slots, one on the bottom and another at the back.

ENTERPRISE READY



Clean Installation

Flexible cabling lets you locate Tap near participants for convenient operation while installing the host computer in a cabinet, beneath a table, or behind a display.





Multiple Mounting Options

Secure Tap flat to the table, raise the viewing angle, or mount it on the wall to conserve space, minimize cabling, and optimize the user experience.

ROOM SOLUTIONS WITH LOGITECH TAP

Easily deploy video meetings with pre-configured Logitech room solutions for Google Meet™ and Microsoft Teams™, which include everything you need - Tap, a conference camera or video bar, and PC compute - to start building meeting rooms of virtually any shape or size.



Find Your Perfect Match

Tap works seamlessly with Logitech's lineup of PC-based video bars and modular systems for small, medium, and large rooms.



Laptop Link for Meeting Rooms

Add bring-your-own-device versatility with Logitech Swytch, a convenient way to use the room's display and conference camera with any video meeting or webinar application.



Shown with Logitech Rally Bar.

PRODUCT DIMENSIONS		PORTS & INTERFACES	PACKAGE CONTENTS
Device Total Height x Width x Depth: 58 x 244 x 179 mm 2.3 x 9.6 x 7.0 in 1.25 kg (2.75 lbs)		USB 2.0/3.0/3.1 Type C (to PC) USB 2.0 Type A (for accessory connection) HDMI input (for content sharing) 3.5mm/1/8 " 4 pole Headset Jack Integrated ultrasonic speaker Integrated PIR Motion Sensor 100mm x 100mm VESA FDMI (Flat Display Mounting Interface) Kensington Lock Slots (2)	Logitech Tap with Cat5e Kit Tap Touch Controller Cat5e Kit Logitech Tap Receiver Dongle Transceiver 100-240v Power Supply with International Adaptor Set 2.97 m Cat5e Cable 7.0 m Cat5e Cable HDMI 1.4a cable 2.0 m Microfiber Cloth Documentation
Touchscreen 10.1" diagonal screen Display Angle: 14° Resolution: 1280 x 800 Anti-fingerprint and anti-glare oleophobic coating			
SYSTEM REQUIREMENTS		COMPATIBILITY AND CERTIFICATIONS	OPTIONAL ACCESSORIES
Windows® 10 Chrome™ OS 80 and higher Logi CollabOS USB 2.0, 3.0, or 3.1 Type A port		Logitech Tap is certified as a touch controller for video conferencing room solutions: Google Meet GoToRoom Microsoft Teams Rooms Pexip Room RingCentral Rooms Zoom Rooms See www.logitech.com/support/tap-compatibility for pending and granted certifications and compatibility updates. DisplayLink Plug and Display™: Tap connects via USB as an additional display for supported operating systems, including Windows 10 and Chrome OS	Table Mount Riser Mount Wall Mount Cat5e Kit (for Tap devices currently connected with Strong USB) Logitech Strong USB cable: 10 m, 25 m, 45 m (for Tap devices currently connected with Strong USB)
DEVICE MANAGEMENT Monitor and manage with Logitech Sync remote management, Microsoft Teams Admin Center, and Zoom Device Management platforms.			
WARRANTY		PART NUMBERS	
Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.		Logitech Tap with Cat5e Kit: 939-001950	


www.logitech.com/Tap

Contact your reseller
or contact us at
www.logitech.com/vcsales

Logitech Americas
7700 Gateway Blvd.
Newark, CA 94560 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2021 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published September 2021